

1-15-2013

U.S. Drought Monitor, January 15, 2013

David Simeral

Western Regional Climate Center, David.Simeral@dri.edu

Follow this and additional works at: <http://digitalcommons.unl.edu/droughtarchive>



Part of the [Agricultural Economics Commons](#), [Environmental Indicators and Impact Assessment Commons](#), [Environmental Monitoring Commons](#), [Hydrology Commons](#), [Natural Resource Economics Commons](#), [Other Environmental Sciences Commons](#), and the [Water Resource Management Commons](#)


Simeral, David, "U.S. Drought Monitor, January 15, 2013" (2013). *US Ag in Drought Archive*. 20.
<http://digitalcommons.unl.edu/droughtarchive/20>

This Article is brought to you for free and open access by the Drought -- National Drought Mitigation Center at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in US Ag in Drought Archive by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

U.S. Drought Monitor

January 15, 2013

Valid 7 a.m. EST



Intensity:

- D0 Abnormally Dry
- D1 Drought - Moderate
- D2 Drought - Severe
- D3 Drought - Extreme
- D4 Drought - Exceptional

Drought Impact Types:

- Delineates dominant impacts
- S = Short-Term, typically <6 months
(e.g. agriculture, grasslands)
- L = Long-Term, typically >6 months
(e.g. hydrology, ecology)

*The Drought Monitor focuses on broad-scale conditions.
Local conditions may vary. See accompanying text summary
for forecast statements.*

<http://droughtmonitor.unl.edu/>




Released Thursday, January 17, 2013
Author: David Simeral, Western Regional Climate Center

U.S. Hay Areas Experiencing Drought

*Reflects January 15, 2013
U.S. Drought Monitor data*

*Approximately **61%** of the domestic hay acreage
is within an area experiencing drought, based
on NASS 2007 Census of Agriculture data.*




Major and minor agricultural areas are based on NASS 2007 Census of Agriculture data. Counties shaded in gray contain data that are not published by NASS, and hence were not used in delineating the major and minor agricultural areas. Additional information on these agricultural data can be found at: <http://www.agcensus.usda.gov/>.

Mapped drought areas are derived from the U.S. Drought Monitor product and do not depict the intensity of drought in any particular location. More information on the Drought Monitor can be found at: <http://www.drought.unl.edu/dm/monitor.html>.

- Major areas combined account for 75% of the total national acreage.
- Major and minor areas combined account for 99% of the total national acreage.

Approximate Percentage of Hay Located in Drought *

January 15, 2013



* Drought percentages were calculated from U.S. Drought Monitor (USDM) data for the above date. More information on the USDM is available at <http://www.drought.unl.edu/dm/monitor.html>.


Percent in Moderate Drought (D1)
 Percent in Severe Drought (D2)
 Percent in Extreme Drought (D3)
 Percent in Exceptional Drought (D4)

State contributions to national production (percentages in parentheses) are based upon National Agricultural Statistics Service (NASS) 2007 Census of Agriculture data. More information on NASS data can be found at <http://www.nass.usda.gov/>.



Agricultural Weather Assessments
World Agricultural Outlook Board


United States Hay Areas Located in Drought



U.S. Cattle Areas Experiencing Drought

*Reflects January 15, 2013
U.S. Drought Monitor data*

*Approximately 70% of the domestic cattle
inventory is within an area experiencing drought,
based on NASS 2007 Census of Agriculture data.*




Major and minor agricultural areas are based on NASS 2007 Census of Agriculture data. Counties shaded in gray contain data that are not published by NASS, and hence were not used in delineating the major and minor agricultural areas. Additional information on these agricultural data can be found at: <http://www.agcensus.usda.gov/>.

Mapped drought areas are derived from the U.S. Drought Monitor product and do not depict the intensity of drought in any particular location. More information on the Drought Monitor can be found at: <http://www.drought.unl.edu/dm/monitor.html>.

- Major areas combined account for 75% of the total national inventory.
- Major and minor areas combined account for 99% of the total national inventory.

Approximate Percentage of Cattle Located in Drought *

January 15, 2013



* Drought percentages were calculated from U.S. Drought Monitor (USDM) data for the above date. More information on the USDM is available at <http://www.drought.unl.edu/dm/monitor.html>.


Percent in Moderate Drought (D1)
 Percent in Severe Drought (D2)
 Percent in Extreme Drought (D3)
 Percent in Exceptional Drought (D4)

State contributions to the total national inventory (percentages in parentheses) are based upon National Agricultural Statistics Service (NASS) 2007 Census of Agriculture data. More information on NASS data can be found at <http://www.nass.usda.gov/>.



Agricultural Weather Assessments
World Agricultural Outlook Board


United States Cattle Areas Located in Drought



U.S. Winter Wheat Areas Experiencing Drought


*Reflects January 15, 2013
U.S. Drought Monitor data*

*Approximately 60% of the winter wheat grown
in the U.S. is within an area experiencing drought,
based on historical NASS crop production data.*



Approximate Percentage of Winter Wheat Located in Drought *

January 15, 2013



* Drought percentages were calculated from U.S. Drought Monitor (USDM) data for the above date. More information on the USDM is available at <http://www.drought.unl.edu/dm/monitor.html>.

Percent in Moderate Drought (D1)
 Percent in Severe Drought (D2)
 Percent in Extreme Drought (D3)
 Percent in Exceptional Drought (D4)

State contributions to national production (percentages in parentheses) are based upon National Agricultural Statistics Service (NASS) 5-year averages from 2006-2010. More information on NASS data can be found at <http://www.nass.usda.gov/>.



Agricultural Weather Assessments
World Agricultural Outlook Board

United States Winter Wheat Areas Located in Drought

